

BOARD NOTES

2 DECEMBER 2019





We will be able to determine if a system of equations is consistent or inconsistent.




WHAT WE NEED:


- TI-84
- Definition:
 - Consistent
 - Inconsistent
- Solve for a variable

I WILL BE ABLE TO COMPLETE MY HOMEWORK GIVEN THE

System of Equations



- Solve either of the equations for one variable in terms of the other. (If one of the equations is already in this form, you can skip this step.)
- 2. Substitute the expression found in step 1 into the other equation. This will result in an equation in one variable.
- 3. Solve the equation containing one variable.
- 4. Back-substitute the value found in step 3 into one of the original equations. Simplify and find the value of the remaining variable.
- Check the proposed solution in both of the system's given equations.



- 1. If necessary, rewrite both equations in the form Ax + By = C.
- 2. If necessary, multiply either equation or both equations by appropriate nonzero numbers so that the sum of the *x*-coefficients or the sum of the *y*-coefficients is 0.
- Add the equations in step 2. The sum is an equation in one variable.
- 4. Solve the equation in one variable.
- Back-substitute the value obtained in step 4 into either of the given equations and solve for the other variable.
- 6. Check the solution in both of the original equations.



Ex 1)
$$\left\{ -x+y=4 \\ y=x^2+4x-6 \right\}$$
 (2,6) $\left(-5,-1\right)$







Ex z)
$$\begin{cases} x^2 = 2y + 10 & 0 \\ 4x - y = 9 & 2 \end{cases}$$

Solve y IN2
 $4x - y = 9$
 $4x - y = 9$
 $4x = y + 9$
 $4x - 9 = y \rightarrow 0$
 $x^2 = 2(4x - 9) + 10$
 $x^2 = 8x - 18 + 10$

$$x^{2}-8x+8=0$$
 $x=-b\pm \sqrt{b^{2}-4ac}$
 $x=\frac{7a}{2a}=8$
 $x=\frac{8\pm \sqrt{64-32}}{2}$
 $x=\frac{8\pm \sqrt{32}}{2}$
 $x=\frac{8\pm \sqrt{32}}{2}$
 $(6.83,18.32)$
 $(1.17,-4.32)$



Ex 3)
$$(4x^{2}+y^{2}=13 \ 0)$$
 $(1,3)$ $y=\pm \sqrt{13-4x^{2}}$ $(1,-3)$ $y=\pm \sqrt{10-x^{2}}$ Eum y $(-1,3)$ $(-1,-$